

Moneysworth & Best 120 Midair Court Brampton, ON, L6T 5V1 Canada 905-790-0650

50812\_Super Glue 737 2oz **CODE: 50812** PRODUCT:

### **SECTION 01: IDENTIFICATION**

50812 Super Glue 737 2oz Product Identity.....

Product Item Numbers..... 50812

Supplier..... Moneysworth & Best 120 Midair Court

Brampton, ON Canada L6T-5V1

905-790-0650

24 hour emergency telephone number

Recommended Use..... Adhesive applications.

Consumer Commodity.....

## **SECTION 02: HAZARD IDENTIFICATION**



Label Elements: Signal Word..... WARNING.

Hazard Classification:

Physical Hazards..... Flammable Liquids - Category 4. Health Hazards..... Eye Irritation - Category 2A. Skin Irritation - Category 2. Specific Target Organ Toxicity,

Single Exposure - Category 3.

H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. Hazard Statement.....

H335 May cause respiratory irritation. . Precautionary Statements:

Prevention..... P201:Obtain special instructions before use. P280:Wear protective gloves/ protective

clothing/ eye protection/ face protection. P271:Use only outdoors or in a well-ventilated

area. P264:Wash hand thoroughly after handling. P261:Avoid breathing

dust/fume/gas/mist/vapours/spray.

P302+P352:IF ON SKIN: Wash with plenty of water. P304+P340:IF INHALED: Remove Response..... person to fresh air and keep comfortable for breathing. P305+P351+P338:IF IN EYES:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313:If exposed or concerned: Get medical advice/attention. P312:Call a POISON CENTER if you feel unwell. P333+P313:If skin irritation or rash occurs: Get medical advice/attention. P337+P313:If eye irritation persists:

Get medical advice/attention.

Storage..... P403+P233:Store in a well-ventilated place. Keep container tightly closed. P405: Store

locked up.

P501:Dispose of contents/container in accordance with local, regional, national, and/or Disposal.....

international regulations. .

Description of Hazards

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS						
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %				

7085-85-0 70-90 Ethyl-2 Cyanoacrylate

## **SECTION 04: FIRST-AID MEASURES**

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye lids are bonded closed, release eyelashes with warm water Eye Contact..... by covering the eye with a wet pad. Do not force eye open.

Wash thoroughly with soap and lukewarm water. Do not pull skin apart. Cyanoacrylate. Skin Contact.....

Bonds skin and eyes in seconds. Ingestion is not a likely route of exposure. If ingested, do not induce vomiting, get medical Ingestion.....

attention. Inhalation..... If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain

immediate medical assistance.



PRODUCT: 50812\_Super Glue 737 2oz

### **SECTION 04: FIRST-AID MEASURES**

# **SECTION 05: FIRE-FIGHTING MEASURES**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. . Extinguishing Media.....

Fire and Explosion Hazards..... Nitrogen oxides (NOx).

Sensitivity to Mechanical Impact..... Not expected to be sensitive. Sensitivity to Static Discharge..... Not expected to be sensitive.

#### SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective ..... Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. .

Equipment and Emergency Procedures Environmental Precautions.....

Prevent product from entering drains. Do not flush into surface water or sanitary sewer

**CODE: 50812** 

Methods and Materials for Containment ..

system. Allow to solidify. Pick up and transfer to properly labeled containers. Ventilate the area. .

and Cleaning Up

#### **SECTION 07: HANDLING AND STORAGE**

Precautions for Safe Handling..... Avoid contact with eyes, skin, and clothing. Do not breathe vapour or mist. Avoid contact

with paper goods or fabric. Contact with these materials may cause rapid polymerization

which can generate smoke and strong irritating vapors.

Conditions for Safe Storage including any Incompatibilities .....

Incompatibilities

Store away from heat and direct sunlight to maximize shelf life. Store inside in a dry

location. Store in a tightly closed container.

Do not store together with oxidizing and self-igniting products.

#### SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

	A	CGIH TLV		OSHA PEL	NIO	SH
INGREDIENTS	TWA	STEL	PEL	STEL	REL	

Ethyl-2 Cyanoacrylate Not available Not available Not available Not available Not available

Not established

Use respiratory protection unless adequate local exhaust ventilation is provided or Respiratory Protection.....

exposure assessment demonstrates that exposures are within recommended exposure

guidelines.

Skin Protection......Eye/Face Protection.....

Long sleeved clothing. Preventive skin protection.
Use safety goggles or full-face shield when there is a potential for eye contact.

Local exhaust ventilation required to maintain the point of use below the Threshold Limit Appropriate Engineering Controls.....

Value if unprotected personnel are involved.

**Exposure Limits** 

#### **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Physical State..... Liquid. Physical Appearance..... Clear liquid. Pungent. Odour..... Odour Threshold (ppm)..... Not available. Not applicable. ..... Boiling Point (°C)..... Not available. Melting/Freezing Point (°C)..... Not available. Flashback..... No. Auto Ignition Temperature (Propellant), °C Not applicable. Explosion Limits (vol%)..... Lower: N/Av; Upper: N/Av. Density (20 °C)..... ca. 1.05 g/cm3.

# **SECTION 10: STABILITY AND REACTIVITY**

Chemical Stability..... Stable under the recommended storage and handling conditions.

Hazardous Decomposition Products...... Not available. PRODUCT: 50812\_Super Glue 737 2oz

**SECTION 11: TOXICOLOGICAL INFORMATION** 

**INGREDIENTS** LC50 LD50

Ethyl-2 Cyanoacrylate Not available Not available

Route of Exposure...... Eye contact, Skin contact, Skin absorption, Inhalation, and Ingestion.

Effects of Acute Exposure

Chronic Effects

Carcinogenicity..... Reproductive Toxicity..... Teratogenicity.....

**CODE: 50812** 

Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP. No information is available, and no adverse effects are expected. No information is available, and no adverse effects are expected. Germ Čell Mutagenicity..... No information is available, and no adverse effects are expected.

Toxicological Data

### **SECTION 12: ECOLOGICAL INFORMATION**

General Information..... No data.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

## **SECTION 14: TRANSPORT INFORMATION**

UN Number.....

Combustible liquid, n.o.s. (ethyl 2-cyanoacrylate). Proper shipping name.....

Class..... CBL. Packing group..... ERG Code.... 128. Marine pollutant:.... No.

IATA (International- Air)..... Not currently regulated. IMDG (International- Marine)..... Not currently regulated.

#### **SECTION 15: REGULATORY INFORMATION**

Canada Regulations:..... WHMIS Classification. B3: Combustible Liquid. D2B: Material causing other toxic Materials.

Domestic Substances List (DSL)..... All components of this product are on the Canadian DSL.

Clean Air Act..... The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40

CFR 61): hydroquinone 123-31-9.

SARA 311/312 Hazards ..... Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitization Carcinogenicity Specific target organ toxicity (single or repeated exposure).

This material does not contain any components with a section 302 EHS TPQ. SARA Section 313.....

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section

313. .

US Regulations..... Environmental Protection Act: Constituents of this product are included on the TSCA

inventory. OSHA (29CFR 1910.1200) Classification: Compressed Gas. HIMS Classifications: see section 01. HMIS: 2 Health, 2 Fire, 1 Reactivity. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxics under California Proposed 65 at levels which would be subjected to the proposition.

#### **SECTION 16: OTHER INFORMATION**

Disclaimer..... The information contained herin is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the

use thereof. Empack assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the

CPR. THIS SDS IS VALID FOR THREE YEARS.

Regulatory Affairs 2021-12-09 Prepared by .....

Latest Revision