



Moneysworth & Best
120 Midair Court
Brampton, ON, L6T 5V1
Canada
905-790-0650

PRODUCT: 50813_Super Glue 747, 60ml/2oz Highest Viscosity

CODE: 50813

SECTION 01: IDENTIFICATION

Product Identity..... 50813_Super Glue 747, 60ml/2oz Highest Viscosity
Product Item Numbers..... 50813
Supplier..... Moneysworth & Best
120 Midair Court
Brampton, ON
Canada
L6T-5V1
905-790-0650
24 hour emergency telephone number
Recommended Use..... Adhesive applications.
Consumer Commodity..... Yes.

SECTION 02: HAZARD IDENTIFICATION



Label Elements:
Signal Word..... WARNING.
Hazard Classification:
Physical Hazards..... Not Classified.
Health Hazards..... Eye Irritation - Category 2A. Skin Sensitization - Category 1. Skin Irritation - Category 2.
Specific Target Organ Toxicity, Single Exposure - Category 3. Carcinogenicity - Category 2.
Hazard Statement..... H315:Causes skin irritation. H319:Causes serious eye irritation. H317:May cause an allergic skin reaction. H335:May cause respiratory irritation. H351:Suspected of causing cancer.
Precautionary Statements:
Prevention..... P201:Obtain special instructions before use. P280:Wear protective gloves/ protective clothing/ eye protection/ face protection. P272:Contaminated work clothing must not be allowed out of the workplace. P271:Use only outdoors or in a well-ventilated area.
P264:Wash hand thoroughly after handling. P261:Avoid breathing dust/fume/gas/mist/vapours/spray. P202:Do not handle until all safety precautions have been read and understood.
Response..... P302+P352:IF ON SKIN: Wash with plenty of water. P304+P340:IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313:If exposed or concerned: Get medical advice/attention. P312:Call a POISON CENTER if you feel unwell. P333+P313:If skin irritation or rash occurs: Get medical advice/attention. P337+P313:If eye irritation persists: Get medical advice/attention.
Storage..... P403+P233:Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up.
Disposal..... P501:Dispose of contents/container in accordance with local, regional, national, and/or international regulations. .
Description of Hazards

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Ethyl-2 Cyanoacrylate	7085-85-0	70-90

SECTION 04: FIRST-AID MEASURES

Eye Contact..... Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye lids are bonded closed, release eyelashes with warm water by covering the eye with a wet pad. Do not force eye open.
Skin Contact..... Wash thoroughly with soap and lukewarm water. Do not pull skin apart. Cyanoacrylate. Bonds skin and eyes in seconds.

PRODUCT: 50813_Super Glue 747, 60ml/2oz Highest Viscosity

CODE: 50813

SECTION 04: FIRST-AID MEASURES

Ingestion..... Ingestion is not a likely route of exposure. If ingested, do not induce vomiting, get medical attention.

Inhalation..... If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain immediate medical assistance.

Additional Information..... Note to the doctor; treat symptomatically. Keep out of the reach of children. .

SECTION 05: FIRE-FIGHTING MEASURES

Extinguishing Media..... Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. .

Fire and Explosion Hazards..... Nitrogen oxides (NOx).

Sensitivity to Mechanical Impact..... Not expected to be sensitive.

Sensitivity to Static Discharge..... Not expected to be sensitive.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. .

Equipment and Emergency Procedures

Environmental Precautions..... Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

Methods and Materials for Containment .. Allow to solidify. Pick up and transfer to properly labeled containers. Ventilate the area. .

and Cleaning Up

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling..... Avoid contact with eyes, skin, and clothing. Do not breathe vapour or mist. Avoid contact with paper goods or fabric. Contact with these materials may cause rapid polymerization which can generate smoke and strong irritating vapors.

Conditions for Safe Storage including any Incompatibilities Store away from heat and direct sunlight to maximize shelf life. Store inside in a dry location. Store in a tightly closed container.

Incompatibilities Do not store together with oxidizing and self-igniting products.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
Ethyl-2 Cyanoacrylate	Not available Not established	Not available	Not available	Not available	Not available	Not available
Respiratory Protection.....	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. .					
Skin Protection.....	Long sleeved clothing. Preventive skin protection.					
Eye/Face Protection.....	Use safety goggles or full-face shield when there is a potential for eye contact.					
Appropriate Engineering Controls.....	Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved.					
Exposure Limits						

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical State..... Liquid.

Physical Appearance..... Clear liquid.

Odour..... Pungent.

Odour Threshold (ppm)..... Not available.

pH..... Not applicable.

Boiling Point (°C)..... Not available.

Melting/Freezing Point (°C)..... Not available.

Flashback..... No.

Auto Ignition Temperature (Propellant), °C Not applicable.

Explosion Limits (vol%)..... Lower: N/Av; Upper: N/Av.

Density (20 °C)..... ca. 1.05 g/cm3.

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability..... Stable under the recommended storage and handling conditions.

Hazardous Decomposition Products..... Not available.

PRODUCT: 50813_Super Glue 747, 60ml/2oz Highest Viscosity

CODE: 50813

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Ethyl-2 Cyanoacrylate	Not available	Not available
Route of Exposure.....	Eye contact, Skin contact, Skin absorption, Inhalation, and Ingestion.	
Effects of Acute Exposure		
Chronic Effects		
Carcinogenicity.....	Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.	
Reproductive Toxicity.....	No information is available, and no adverse effects are expected.	
Teratogenicity.....	No information is available, and no adverse effects are expected.	
Germ Cell Mutagenicity.....	No information is available, and no adverse effects are expected.	
Toxicological Data		

SECTION 12: ECOLOGICAL INFORMATION

General Information..... No data.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

UN Number..... 1993.
 Proper shipping name..... Combustible liquid, n.o.s. (ethyl 2-cyanoacrylate) .
 Class..... CBL.
 Packing group..... III.
 ERG Code..... 128.
 Marine pollutant..... No.
 IATA (International- Air)..... Not currently regulated.
 IMDG (International- Marine)..... Not currently regulated.

SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... WHMIS Classification. B3: Combustible Liquid. D2B: Material causing other toxic Materials.
 Domestic Substances List (DSL)..... All components of this product are on the Canadian DSL.
 Clean Air Act..... The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61): hydroquinone 123-31-9.
 SARA 311/312 Hazards Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitization Carcinogenicity Specific target organ toxicity (single or repeated exposure).
 SARA 302..... This material does not contain any components with a section 302 EHS TPQ. .
 SARA Section 313..... This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. .
 US Regulations..... Environmental Protection Act: Constituents of this product are included on the TSCA inventory. OSHA (29CFR 1910.1200) Classification: Compressed Gas. HIMS Classifications: see section 01. HMIS: 2 Health, 2 Fire, 1 Reactivity. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxics under California Proposed 65 at levels which would be subjected to the proposition.

SECTION 16: OTHER INFORMATION

Disclaimer..... The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Empack assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. THIS SDS IS VALID FOR THREE YEARS.
 Prepared by Regulatory Affairs
 Latest Revision 2022-01-16